

Inspection Type

Health Inspection

Inspector

Key

**SNOW FOX SUSHI
INSIDE KROGER FOOD STORE-1215 NORTH STREET STORE
1215 NORTH STREET**

2 DEMERITS

**1-PAPER TOWELS NEEDED AT HANDWASH SINK
-CORRECTED ON SITE**

Add Std Comments

Add Comment

Code Search Lin

Inspection Type

Health Inspection

Inspector

Ke'

SNOW FRUIT # 566

**INSIDE KROGER- 3205 NORTH UNIVERSITY DRIVE STORE
3205 NORTH UNIVERSITY DRIVE**

0 DEMERITS

100 PERCENT COMPLIANT

Add Std Comments

Add Comment

Code Search Lin

Inspection Type

Health Inspection

Inspector

Ke

**SNOW FRUIT # 990
INSIDE KROGER 1215 NORTH STREET STORE
1215 NORTH STREET**

4 DEMERITS

**1-KEEP HANDWASH SINK ACCESS PATH UNIMPEDED
-CORRECTED ON SITE
2-ACCURATE VISIBLE THERMOMETER NEEDED FOR
ONE COOLER AREA**

Add Std Comments

Add Comment

Code Search Lin

Inspection Type

Health Inspection

Inspector

Key

**PAPI'S TEX MEX AND CANTINA
422 EAST MAIN**

8 DEMERITS

1-NEED TEST STRIPS

2-DRESSING NEEDS USE BY DATE-CORRECTED ON SITE

3-PAPER TOWELS NEEDED AT ONE HANDWASH SINK

-CORRECTED ON SITE, KEEP HANDWASH SINK EMPTY

-CORRECTED ON SITE

4-KEEP SCOOPS STORED PROPERLY-CORRECTED ON SITE

Add Std Comments

Add Comment

Code Search Lin

Inspection Type

Health Inspection

Inspector

Key

**STONE HOUSE KITCHEN
312 EAST MAIN**

7 DEMERITS

**1-DISCARDED TWO MEAT PRODUCT AND SEVERAL MILK
PRODUCTS-CORRECTED ON SITE
2-PROVIDE ACCURATE VISIBLE THERMOMETERS FOR ALL
REFRIGERATORS AND FREEZERS
3-KEEP HANDWASH SINK ACCESS PATH UNIMPEDED
-CORRECTED ON SITE
4-KEEP BASE OF REFRIGERATORS AND FREEZERS WIPED
DOWN,CLEAN AND SANITARY, KEEP ALL VENTS CLEAN**

Add Std Comments

Add Comment

Code Search Lin

Inspection Type

Health Inspection

Inspector

Ke

DILLY DALLY

2156 NORTH CHURCH

0 DEMERITS

100 PERCENT COMPLIANT

Add Std Comments

Add Comment

Code Search Lin

Inspection Type

Health Inspection

Inspector

Ke

**PEMBERLEY'S AT THE JONES HOUSE RESTAURANT
141 NORTH CHURCH**

0 DEMERITS

100 PERCENT COMPLIANT

Add Std Comments

Add Comment

Code Search Lir

Inspection Type

Health Inspection

Inspector

Ke

ROMA'S ITALIAN KITCHEN

124 EAST MAIN

2 DEMERITS

**1-KEEP HANDWASH SINK ACCESS PATH UNIMPEDED
-CORRECTED ON SITE,-KEEP STRAWS OUT OF HANDWASH
SINK-CORRECTED ON SITE**

Add Std Comments

Add Comment

Code Search Lin

Inspection Type

Health Inspection

Inspector

Key

**FIRST UNITED METHODIST PRE SCHOOL
201 EAST HOSPITAL STREET**

1 DEMERIT

**1-ONE VENT NEEDS TO BE CLEANED-CORRECTED
ON SITE**

Add Std Comments

Add Comment

Code Search Lin

Inspection Type

Health Inspection

Inspector

Key

**ARBOR ASSISTED LIVING CENTER FOOD SERVICE
3002 WESTWARD DRIVE**

2 DEMERITS

**1-SEVERAL DAMAGED FLOOR AREAS
2-CLEAN VENT AT OFFICE DOOR**

[Add Std Comments](#)

[Add Comment](#)

[Code Search Lin](#)

Inspection Type

Health Inspection

Inspector

Key

**CONTINENTAL INN AND SUITES LODGING INSPECTION
2728 NORTH STREET**

1 DEMERIT

**1-LABEL SPRAY BOTTLE WITH BLUE SOLUTION
-CORRECTED ON SITE**

Add Std Comments

Add Comment

Code Search Link

Inspection Type

Health Inspection

Inspector

Ke

**UNIVERSITY COFFEE
2611 NORTH STREET**

2 DEMERITS

**1-USE BY DATE NEEDED ON SLICED HAM-CORRECTED
ON SITE**

Add Std Comments

Add Comment

Code Search Lin

Inspection Type

Health Inspection

Inspector

Ke

**FREDDY'S FROZEN CUSTARD AND STEAKBURGERS
3720 NORTH STREET**

2 DEMERITS

1-PAPER TOWEL NEEDS NEW BATTERY-CORRECTED ON SITE

Add Std Comments

Add Comment

Code Search Lin

Inspection Type

Health Inspection

Inspector

Ke

TACO BUENO

1821 NORTH STREET

4 DEMERITS

**1-EMPLOYEE'S PHONES MUST BE AWAY FROM FOOD PREP
AREA-CORRECTED ON SITE**

2-SEVERAL WATER DAMAGED CEILING TILES

Add Std Comments

Add Comment

Code Search Lin