

Inspection Type **Health Inspection**

Inspector **Ke**

**NICK'S VALERO # 7-DOUGLASS ROAD LOCATION
2601 DOUGLASS ROAD**

20 DEMERITS

**1-NEED ANTI SIPHON VALVE BACKFLOW PREVENTER FOR
OUTSIDE HOSE BIBB-,2-LABEL SPRAY BOTTLE WITH PINK
SOLUTION-,3-DISCARDED 15 SANDWICHES NOT MEETING
MINIMUM COLD HOLD TEMPERATURE-CORRECTED ON SITE
4-DISCARDED NUMEROUS PRE PACKAGED FOOD PRODUCTS
-CORRECTED ON SITE-,5-USE BY DATES NEEDED ON SELF
SERVE SANDWICHES-,6-PROVIDE ACCURATE VISIBLE
THERMOMETERS FOR COOKS,AND ALL FREEZERS AND
COOLERS-,7-PAPER TOWELS NEEDED AT ALL HANDWASH
SINKS-,8-,SEVERAL WATER DAMAGED CEILING TILES, 9-,ICE
BINS OUTSIDE NEED TO BE CLEANED ON OUTSIDE OF
CONTAINERS,-10-,DISCARD OR REPAIR MILK SHAKE MACHINE**

Add Std Comments

Add Comment

Code Search Lin

Inspection Type **Health Inspection**

Inspector **Ke**

**SAM'S SOUTHERN EATERY
1220 NORTH STREET**

10 DEMERITS

**1-DISCARDED SEVERAL FOOD PRODUCTS FROM PREP
COOLER DUE TO IMPROPER COLD HOLD TEMPERATURE
-CORRECTED ON SITE**

2-LABEL SPRAY BOTTLE WITH PURPLE SOLUTION

**3-PROVIDE ACCURATE VISIBLE THERMOMETERS FOR
ALL COOLERS AND FREEZERS, PROVIDE THERMOMETERS
FOR COOKS**

4-KEEP DUMPSTER LIDS CLOSED

5-PROPER HAIR RESTRAINT NEEDED

Add Std Comments

Add Comment

Code Search Lin

Inspection Type **Health Inspection**

Inspector **Ke**

**APERITIVO CAFE AND GELATO BAR
122 NORTH CHURCH**

8 DEMERITS

**1-KEEP CLEANING SOLUTION STORED
PROPERLY-CORRECTED ON SITE**

2-USE BY DATES NEEDED

3-KEEP HANDWASH SINK EMPTY-CORRECTED ON SITE

4-KEEP SCOOPS STORED PROPERLY-CORRECTED ON SITE

Add Std Comments

Add Comment

Code Search Lin

Inspection Type **Health Inspection**

Inspector **Ke**

**LITTLE CAESARS PIZZA
1500 NORTH STREET**

4 DEMERITS

**1-TEST STRIPS NOT REGISTERING PPM FOR SANITIZER
2-SECURE ONE CEILING VENT GRATE,SEVERAL DAMAGED
FLOOR AREAS**

Add Std Comments

Add Comment

Code Search Lin

Inspection Type **Health Inspection**

Inspector **Ke**

KING TACOS
2027 NORTH STREET

4 DEMERITS

1-REPAIR ONE REFRIGERATOR
2-USE BY DATES NEEDED

Add Std Comments

Add Comment

Code Search Lin

Inspection Type **Health Inspection**

Inspector **Ke**

**MIKE MOSES ELEMENTARY SCHOOL CAFETERIA-NISD
2801 PARK STREET**

3 DEMERITS

**1-DISCARDED ONE CANNED FOOD PRODUCT
-CORRECTED ON SITE**

**2-REPAIR FLOOR AREAS IN DRY GOODS ROOM THAT ARE
NOT SMOOTH AND EASILY CLEANABLE**

Add Std Comments

Add Comment

Code Search I in

Inspection Type **Health Inspection**

Inspector **Ke**

**McMICHAEL MIDDLE SCHOOL CAFETERIA-NISD
4330 SE STALLINGS DRIVE**

4 DEMERITS

**1-DISCARDED ONE CANNED FOOD PRODUCT
-CORRECTED ON SITE**

**2-CEILING VENTS NEAR DRY GOODS ENTRANCE NEED
TO BE CLEANED,ONE DAMAGED WALL AREA NEAR SERVING
LINE ENTRANCE OBSERVED**

**3-PROPER HAIR RESTRAINT NEEDED-CORRECTED
ON SITE**

Add Std Comments

Add Comment

Code Search Lin

Inspection Type **Health Inspection**

Inspector **Ke**

**EMELINE CARPENTER ELEMENTARY SCHOOL CAFETERIA
NISD
5209 EAST MAIN**

3 DEMERITS

**1-USE BY DATES NEEDED-CORRECTED ON SITE
2-VENT NEEDS TO HAVE EXCESS DUST REMOVED**

Add Std Comments

Add Comment

Code Search Lin

Inspection Type **Health Inspection**

Inspector **Ke**

MARGIE CHUMBLEY CAFETERIA-NISD
6003 NORTH STREET

0 DEMERITS

100 PERCENT COMPLIANT

Add Std Comments

Add Comment

Code Search Lin

Inspection Type **Health Inspection**

Inspector **Ke**

**RAGUET ELEMENTARY SCHOOL CAFETERIA-NISD
2708 RAGUET STREET**

1 DEMERIT

**1-FLOOR DRAIN COVER HAS DAMAGE, FLOORS WILL NEED
SEALANT TO BE MADE SMOOTH AND EASILY CLEANABLE**

Add Std Comments

Add Comment

Code Search Lin

Inspection Type **Health Inspection**

Inspector **Ke**

**THOMAS J. RUSK ELEMENTARY SCHOOL CAFETERIA-NISD
411 NORTH MOUND**

1 DEMERIT

**1-FLOOR AREA NEAR THREE COMPARTMENT SINK NEEDS
TO BE SMOOTH AND EASILY CLEANABLE, WALK IN
FREEZER OUTSIDE ENTRANCE AREA NEEDS TO BE
SMOOTH AND EASILY CLEANABLE**

Add Std Comments

Add Comment

Code Search Lin

Inspection Type **Health Inspection**

Inspector **Ke**

CENTRAL KITCHEN-NISD
302 HUGHES

0 DEMERITS

100 PERCENT COMPLIANT

Add Std Comments

Add Comment

Code Search I in